

U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM

PSU 40

TYPE OF ACCIDENT CAR FED CROSSING ROAD STRAIGHT

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.) VEHICLE TRAVELLING EASTROUND Approaching AN ICE CREAM TRUCK PARKED TO THE RIGHT SIDE OF ROAD PEDESTRIAN RAN OUT INTO STREET FROM IN FRONT OF ICE CREAM TRUCK INTO PATH OF VEHICLE " 1. VEHICLE " 1 ATTEMPTING TO AVOID REDESTRIAN BY TURNING TO THE LEFT, STRUCK PEDESTRIAN WITH THE RIGHT FRONT FENDER

B. PEDESTRIAN PROFILE									
Pedestrian		_	Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	11	1	4	LOWER LEG	FRACTURE	ઝ	RT. FRONT WHEEL		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	C. VEHICLE PROFILE										
	Class		Most Severe Damage Based on Vehicle Inspection								
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description							
01	Assenger Van	94 AYMOJIYVOYAGER	RIGHT	MODERATE							

U.S. Department of Transportation

National Highway Traffic Safety Administration

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM Indicate North

BEST AVAILABLE

Case Number-Stratum 6 PSU No. 40 The the the the 11 DRIVEWAY 11 © © © Δ P.

U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM Indicate PSU No. Case Number—Stratum North HS Form 431B (1/95)

Scale: 1 centimeter =

meters



PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit NumberO		C	ase Numbe	er-Stratum 6 2 2 P
PEDESTRIAN ACCIDENT CO	LLISION DATA	COLLECTION		SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	-	. • n	orth arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition		rade measurements for all applicable padways	
a) vehicle skid marks	Coefficient of Fr	lction	* so	caled representations of the physical plant ncluding:
b) pedestrian contacts with ground or object	Grade (v/h) Mea	surement	a)	 all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impa	act	, b)) all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between final re-	en impact and	pe	caled representations of the vehicle and edestrian at pre-impact, impact, and final est based upon either:
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	al Direction	a)	physical evidence, or
documentation of the physical plant including:	Vehicle Travel D		b)	reconstructed accident dynamics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, control of the cont	Number of Trave	d Lanes		
signs, etc.) b) all traffic controls (e.g., lights, signs)				
Reference Point: STREET LIGHT	NORTH SI	Reference Line:	SOUTH O	CURBLINE
Item		Distance and Dire from Reference F		Distance and Direction from Reference Line
DRIVE \$30 WEST EDGE #1 (3.1	B) wide	2.5	E	19.5N
DRIVE \$ 125 FAST Edge \$3(410) wide	3,8	W	0.0
DRIVE \$ 119 EAST CLIEB 14 (3.9)) wide	19.1	W	0.0
DRIVE #120 EAST ECGE# d	3,0) Wid	· 12.4	W	9,5N
K, Q.		0.0		10.3N
BEGIN SIKIL L	F	10.7	W	616N
BEGIN SKIE R	F	7:0	W	6.0N
END SKIL L	F	4.1	W	8.6 N
END SKID R	F	3.8	W	7.1 x
POSS POI		3.3	W	7.00

	Distance and Direction	Dieter ee end Die die
Item	Distance and Direction	Distance and Direction
	from Reference Point	from Reference Line

		,
	-	

U.S. Department of Transportation **National Highway Traffic Safety**

Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

JDY

0 1

		PEDESTRIAN CRASH DATA S	π
1. Primary Sampling Unit Number	40	SPECIAL STUDIES - INDICATORS	
2. Case Number - Stratum	6 / 2 P	Check (🗸) each special study (SS15-SS19 below) the has been completed; code 1 for the checked speci	a ia
IDENTIFICATION		studies and 0 for the special studies not checked.	
Number of General Vehicle Forms Submitted	_	6SS15 Administrative Use	<u>0</u>
Forms Submitted	0 1	7. <u>✓</u> SS16 Pedestrian Crash Data Study	1
4. Date of Accident (Month, Day, Year)	1 9 7	8SS17 Impact Fires	<u>0</u>
5. Time of Accident	1933	9SS18	0
Code reported military time of ac	cident.		
NOTE: Midnight = 2400		10SS19	<u>o</u>
Unknown = 9999		NUMBER OF EVENTS	ha
		11. Number of Recorded Events	

PEDESTRIAN STUDY CRITERIA

in This Accident

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS								
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. / 3	15. <u>R</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>		

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 2. Case Number - Stratum 6 / P 3. Pedestrian Number	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown 48 pounds X .4536 = 21.7 kilograms
<u> </u>	
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown 4 inches X 2.54 = 1 / 6 / 8 centimeters	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown	(01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): Computation Running Straight (99) Unknown Then Diagonally
9. Pedestrian's Height - Ground to Shoulder	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	
·	18. Pedestrian's Arm Orientation
	at Initial Impact 0 6
15. Pedestrian's First Avoidance Actions	(01) At sides
15. Pedestrian's First Avoidance Actions (00) No avoidance actions	(02) Folded across chest
• •	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	(==) ···································
(04) Jumped	One or both arms:
(05) Turned toward vehicle	
(06) Turned away from vehicle	(06) Extended upward
(07) Dove or fell away	(07) Extended to side
(07) Dove of left away	(08) Extended forward bracing
Head hand(a) to	(09) Extended, holding object
Used hand(s) to:	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	had sto) on chouldor(s) on he ad
(98) Other (specify):	bag, etc.) on shoulder(s) or head
(99) Unknown	(98) Other (specify):
(00) Chikhowh	(99) Unknown
	19. Pedestrian's Leg Orientation
	at Initial Impact O
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
	(06) Left foot off the ground
	(07) Dight foot of the same
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):
(4) Up	(99) Unknown
(5) Down	
(8) Other (specify):	20. Vehicle/Pedestrian's Interaction / O
(9) Unknown	(01) Carried by vehicle, wrapped position
	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17 Pedestrian's Pody (Obach) Octobril	(04) Passed over vehicle to
17. Pedestrian's Body (Chest) Orientation at Initial Impact	(04) Passed over vehicle top
•	(05) Thrown straight forward
(1) Facing vehicle	(06) Thrown forward and left of vehicle
(2) Facing away	(07) Thrown forward and right of vehicle
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or
(·/ -·············	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(12) Chunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown		25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	96	(9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown		(3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen,	9	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		(00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

SHOP AVARIANDES CHARRAGUES AVAR	(= 00
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD: NO[] UPDATE CANDIDATE?	S INCLUDED WITH INITIAL SUBMISSION? YES M NO [M YES []

Administration

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


					AIS-90				· · · · · · · · · · · · · · · · · · ·	Injury			-	
		Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1	مو الا در:	معل 3.3	گري	7. <u>9</u>	s. <u>0</u> .2	9. <u>02</u>	10. 🖊	112	12. 791	13	14. 🗘	15. 3	16. <u>†</u>	17. <u> </u>
D.	210	مور 3.دا ما	19. <u>8</u>	20,5	21. <u>34</u>	22. <u>22</u>	23.2	24. <u>2</u>	- 25. <u>791</u>	26	27	28.	29/	'30. <u>/</u>
	31000 Od (1	ا فرانز 21-3	32. <u>§</u>	33. <u>5</u>	34. <u>/ le</u>	35. <u>05</u>	36. <u>2</u>	37.2	38. <u>79</u> /	39. 🗸	40. 🖊	41. 3) ^{42.} 🚣	43. 👤
,ch	لار 416	}≠ 44. <u> </u>	45. 2	46.9	47 <u>0</u> 2	48. <u>02</u>	49. 🖊	50. <u>2</u>	51 <u>740</u>	52. 🗸	53/_	54.3	55.3	56.3
									64. <u>740</u>					
) [ار ورا ورا	بن 70. <u>7</u>	71. <u>=2</u>	72.9	73. <u>0 2</u>	74. <u>0.2</u>	75. <u>I</u>	76. <u>8</u>	" <u>740</u>	78. 🖊	79/_	- 80. <u>3</u>	81 3	82.3
	س السر السرة								90. <u>740</u>					
	Bth								1 <u>03</u> .747					
2	19 ju	# 1 ⁵⁰ 109. <u>3</u>	110. 🔏	111 <u>5</u>	112 / 4	13. <u>02</u>	114/	115. 🛭	116. 740) 117	118. 🔼	119 <u>\$</u>	120.3	121. 🗷
									129					

					PEDES	STRIA	N INJU	RY DAT	Ά				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th													
						-			_				
12th							_	——	_				_
13th	_	_							_	_			_
14th	_	_	_			_				_	_	_	_
15th	_	_	_			_	_		_	_	_		
16th													
17th	_								_	_			—
18th		_	—				_		_				
l 9th	_	_				_			_	_	_		_
20th	_		_			_			_	_	_		-
21st													
									_				
'2nd						—							_
23rd		_				_			_	—	_		
24th		_	_						_	_	_	_	_
25th		_	_				_		_				

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

ER: NO LUC





Page

INJURY SOURCE CONFIDENCE LEVEL SOURCE OF INJURY DATA **TYPE OF DAMAGE** (1) Certain (2) Probable **OFFICIAL** (0) Injury not from vehicle contact (1) Autopsy records with or without hospital/ (1) No damage/contact (3) Possible medical records Scratch (Scuff, Cloth Transfer, Smear) (3) (2) Hospital/medical records other than Dent: Large deformation emergency room (e.g., discharge DIRECT/INDIRECT INJURY Cracked, fractured, shattered summary) (1) Direct contact injury Separated from vehicle (3) Emergency room records only (including Indirect contact injury (7) Noncontact injury Noncontact injury associated X-rays or other lab reports) (8) Other specify: (7) Injured, unknown source (4) Private physician, walk-in or emergency (9) Unknown STRIKING PROFILE DAMAGE DEPTH (0) Injury not from vehicle contact (1) Flat-Narrow (<15 centimeters) (2) Flat-Wide (≥ 15 centimeters) UNOFFICIAL (0) Injury not from vehicle contact (5) Lay coroner report (6) E.M.S. personnel (1) No residual damage (3) Rounded (contoured) (2) Surface only damage Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Other specify:_____ Rounded edge (7) Interviewee (3) Sharp edge (8) Other source (specify): (4) Other (specify): (8) (5) (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** <u>Spine</u> **Abbreviated Injury Scale** (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Minor injury Face (06) Lumbar (2) Moderate injury Serious injury Neck (06) Skin - Laceration (08) Skin - Avulsion Thorax <u>Vessels, Nerves, Organs, Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02 Severe injury Abdomen Critical injury (6) Spine (10) Amputation Maximum (untreatable) Upper Extremity Lower Extremity (20) Burn (30) Crush Injured, unknown severity Level of Injury (9) Unspecified (40) Degloving Aspect (50) Injury - NFS Specific injuries are assigned Type of Anatomic Structure consecutive two-digit beginning with 02. (90) Trauma, other than mechanical numbers Right (2) Left Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Bilateral Vessels To the extent possible, within the organizational framework of the AIS, 00 (4) (5) Central (3) Anterior Organs (includes muscles/ (4) is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic Posterior ligaments) Superior Skeletal (includes joints) (8) Inferior (6) Head - LOC structure. 99 is assigned to any injury (9) Unknown Skin NFS as to lesion or severity. Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component <u>Accessories</u> 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify): 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna ∠781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): _ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component

999 Unknown injury source


Page 3


OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained? No Yes	Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)
Blood Alcohol Lev (mg/dl) BAL =	DOOD EK: UPPER TEETH LOOSE ->
Glasgow Coma Scale Score GCSS =	TOP TWO INCISORS
Units of Blood Given Units =	
Arterial Blood Gase Ph = PO ₂ =	
PCO ₂	
	DELIQUE FX MID TO DISTAL OBLIQUE FX MID TO DISTAL 1/3 rd LFT TIBIA W ANTERIDR + LATERAL DISPLACEMENT (SHAFT); LFT FIBULA BOWING FX.

OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number $\mathcal{L} \circ$	OFFICIAL RECORDS
2. Case Number - Stratum 6 19 P	9. Police Reported Travel Speed 99. 91
3. Vehicle Number01	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit
5. Vehicle Make (specify): 09 Applicable codes are found in your	Code posted or statutory speed limit in kmph (999) Unknown mph X 1.6093 = kmph
NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported
6. Vehicle Model (specify): VOVAGER SE Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	(8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx)
7. Body Type Note: Applicable codes may be found on the back of this page.	(95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source:
Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown
No VIN—Code all zeros	(7) Not reported (8) No driver present (9) Unknown 14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- 4-door sedan, hardtop (04)
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover,
- Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- Van based school bus (≤ 4,500 kgs GVWR) (25)
- Van based other bus (≤ 4,500 kgs GVWR) Other van type (Hi-Cube Van, Kary) (specify): (28)
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- Light truck based motorhome (chassis mounted) (42)
- (45)Other light conventional truck type
- Unknown light truck type
- Unknown light vehicle type (automobile, utility, van, or (49)light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- Step van (> 4,500 kgs GVWR)
- Single unit straight truck (4,500 kgs < GVWR \le 8,850 kgs)
- Single unit straight truck (8,850 kgs < GVWR \le 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64)Single unit straight truck, GVWR unknown
- (65)Medium/heavy truck based motorhome
- (67)Truck-tractor with no cargo trailer (68)
- Truck-tractor pulling one trailer (69)
- Truck-tractor pulling two or more trailers (70)
- Truck-tractor (unknown if pulling trailer)
- Unknown medium/heavy truck type (78)
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- Moped (motorized bicycle) (81)
- (82) Three-wheel motorcycle or moped
- Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks (93)
- Construction equipment other than trucks
- Other vehicle type (97)
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest	18. Impact Speed + 199 Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown Ibs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOR - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

	- age
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(specify):
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	1007 CHRIOVVII
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering left
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle in lane	(99) Unknown
Other Motor Vehicle Encroaching Into Lane	
(60) From adjacent lane (same direction)—over left	25. Precrash Stability After Avoidance Maneuver
lane line	(U) No driver present
(61) From adjacent lane (same direction) — over right	(1) No avoidance maneuver (2) Tracking
lane line	
(62) From opposite direction—over left lane line	(3) Skidding longitudinally—rotation less than 30 degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	•
(67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	
(68) From crossing street, intended path not known	26. Precrash Directional Consequences of
(70) From driveway, turning into same direction	Avoidance Maneuver (Corrective Action)
(/1) From driveway, across path	(0) No driver present
(72) From driveway, turning into opposite direction	(1) No avoidance maneuver (2) Vehicle staved in travel lane where evoidance
(73) From driveway, intended path not known	(2) Vehicle stayed in travel lane where avoidance maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but loft travel land
(78) Encroachment by other vehicle—details	(3) Vehicle stayed on roadway but left travel lane where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway
	(9) Directional consequences unknown

	ENVIRONME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
	(6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown
	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	(1) Not Functioning (2) Functioning (9) Unknown 36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN EXTERIOR VEHICLE FORM

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 2. Case Number - Stratum 6 9 P	3. Vehicle Number01_
VEHICLE IDE	Model Year 94
Vehicle Make (specify): LYMOUTH	GRAND Vehicle Model (specify): <u>VOYAGER</u> <u>3D</u> R
PEDESTRIAN FRONT CO	ONTACT WORK SHEET
PEV06 Hood Material	STEEL
PEV08 Hood Length	<i>ா</i>
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
PEV14 Front Bumper Cover Material	PLASTIC
PEV15 Front Bumper Reinforcement Material	STEEL
VERTICAL MEA	ASUREMENTS
PEV16 Front Bumper-Bottom Height	cm
PEV17 Front Bumper-Top Height	cm
PEV18 Forward Hood Opening	cm
PEV19 Front Bumper Lead	cm
WRAP DIS	TANCES
PEV20 Ground to Forward Hood Opening	cm
PEV21 Ground to Front/Top Transition Point	cm
PEV22 Ground to Rear Hood Opening	cm
PEV23 Ground to Base of Windshield	cm
PEV24 Ground to Top of Windshield	cm
PEV25 Ground to Head Contact	cm

PEDESTRIAN SIDE	CONTACT WORK SHEET
PEV06 Hood Material	STEEL
PEV08 Hood Length	85 cm
PEV09 Hood Width-Forward Opening	142 cm
PEV10 Hood Width-Midway	143 cm
PEV11 Hood Width-Rear Opening	144 cm
VERTICAL	MEASUREMENTS
PEV26 Ground Clearance	24 cm
PEV27 Side Bumper-Bottom Height	5 cm
PEV28 Side Bumper-Top Height	5 cm
PEV29 Centerline of Wheel	30 cm
PEV30 Top of Tire	by cm
PEV31 Top of Wheel Well Opening	75 cm
PEV32 Bottom of A-Pillar at Windshield	$\frac{120}{120}$ cm
PEV33 Top of A-Pillar at Windshield	$\frac{1}{L} \frac{L}{L} \frac{L}$
PEV34 Top of Side View Mirror	123 cm
LATERAL	MEASUREMENTS
PEV35 C _L to A-Pillar at Bottom of Windshield	7 9 cm
PEV36 C _L to A-Pillar at Top of Windshield	8 cm
PEV37 C _L to Maximum Side View Mirror Protrusion	$-\frac{1}{\sqrt{\frac{1}{2}}}$ cm
WRAF	DISTANCES
PEV38 Ground to Side/Top Transition	1-07 cm
PEV39 Ground to Hood Edge	$\frac{1}{1}$ cm
PEV40 Ground to Centerline of Hood (ORIGIN)	7 cm
PEV41 Ground to Head Contact	<u> 999</u> cm
	,

orign 160

VEHICLE DAMAGE SKETCH smudge and ice cream DRIPPINES DENT Shoulder Shoulder Shoulder Body

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: \(\(\begin{align*} \begin{al

Wheelbase inches x 2.54 =Overall Length inches x = 2.54 =Maximum Width inches x = 2.54 =pounds x .4536 = /Curb Weight Average Track inches x 2.54 =Front Overhang inches x 2.54 =Rear Overhang inches $\times 2.54$ Undeformed End Width inches $\times 2.54$ Engine Size: cyl./displ. ___ __ CC x.001 =CID x .0164 =**INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify):_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):___ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify):_ 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): _ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

ORIGINAL SPECIFICATIONS

			POINTS	OF PEDEST	RIAN CONTA	CT		
			PEDEST	RIAN CONTA	CT WORKSHI	EET		
CONTACT ID LABEL	COMPONENT	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #
WS	BUMPER	/30	150		SNEAREN	MPRINT	(J 2 3 9	2
NE.	BurgER	110	150		SNEARI	IMPRINT	O 2 3 3	3
wm	Bumper	120	13-8		HANZ	FINGERPRIN	- D2 3 9	4
W	Bumper	130	140	•	ŒG	SMULGES	12)39	6
YKI	Bumpen		130		LEG	SCRATCH	1 (2/3) 9	9
uz	FENJER		110	0.5	SSYPEF!	DENT	Q239	1
WU		135	103		TORSO	SCRATCH	1 2 ③9	8
1	TURN SIGNAL	110	106		HANZ	SMUdGE	0233	5
WKI	RIMPER	125	130		ŒG	SCRATCH	1 2 🕄 9	7
							1 2 3 9	
							1239	**************
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
2							1 2 3 9	
				-			1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

POINTS OF PEDESTRIAN CONTACT

CHRONO		LODE		CONT	BOTO
	LUUIUA		14 15 11 10	1.1HV I	41.15

	T	Ī	CHRONO	LOGICAL ORI	DER OF CONTACTS		
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)
1	740	160	110	0.5	Body	DENT	(1)2 3 g
2	700	/20	750		FOOT	SHEAKER IMPRINT	<u> </u>
3	700	110	150		FOOT	IMPRINT SNEAKER IMPRINT	Ø 2 3 9
4	700	120	/38		HANI	FINGERPRINT	O 2 3 9
5	708	110	106		HAND	SMUJGE	Ø 2 3 9
6	700	130	140		LEG	SMULGES	1 Ø 3 9
7	700	125	/30		LEG	SCRATCH	1 2 3 9
8	740	735	/03		TORSO	SCRATCH	1 2 / 9 8
9	700	125	130	·	LEG	SCRATCH	1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13					•		1 2 3 9
14							1 2 3 9
15			~~~				1 2 3 9
16							1 2 3 9
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

VEHICLE DIMENSIONS	11 Hood Width Boar Occasion
4. Original Wheelbase Code to the nearest centimeter (999) Unknown	11. Hood Width Rear Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown
149.3 inches X 2.54 = 303 centimeters	inches X 2.54 = centimeters
5. Original Average Track Width Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown (999) Unknown 6. Hood Material	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact (9) Unknown
(1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify):	13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged (4) Unknown if contacted by pedestrian
7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood	(4) Unknown if contacted by pedestrian -damaged(9) Unknown if contacted by pedestrian -
(2) OEM replacement (3) Non-OEM replacement (9) Unknown	unknown if damaged FRONT CONTACT DAMAGE
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length	unknown if damaged
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):

17.	Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
	centimeters	inches X 2.54 = centimeters
18.	Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
	Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
	Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
		Side Vertical Measurements
	Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact	26. Ground Clearance Code to the
	(200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters
21.	(200) 200 centimeters or more (999) Unknown	(000) No side contact (150) 150 centimeters or more

20	Centerline of Wheel	~ ~ ~ ~	Side Lateral Measureme	
23.	Code to the	030	Orac rateral integrationile	ints
	nearest centimeter	-		
	(000) No side contact		35. Centerline to A-Pillar	$n \rightarrow 0$
l	(150) 150 centimeters or more		at Bottom of Windshield	079
	(999) Unknown		(000) No side contact	/
l	(393) Olikilowii		Code to the	
	inches V 2 E4 -		nearest centimeter	
	inches X 2.54 =	centimeters	(250) 250 centimeters or more	
			(999) Unknown	
30.	Top of Tire	0/0//	(000) Olikilowii	
00.	Code to the	064	inches X 2.54 =	
	nearest centimeter	•		centimeters
	(000) No side contact			
	(200) 200 centimeters or more		36. Centerline to A-Pillar	068
	(999) Unknown		at Top of Windshield	UUO
	1000) Clikilowii		Code to the	
	inches X 2.54 =		nearest centimeter	
	IIICIES A 2.04	centimeters	(000) No side contact	
			(250) 250 centimeters or more	
31.	Top of Wheel Well Opening	075	(999) Unknown	
	Code to the	<u>v</u> 13	(SS) SIMILOW:	
	nearest centimeter		inches X 2.54 =	
	(000) No side contact	- 1		centimeter
	(250) 250 centimeters or more	!		
	(999) Unknown	!	37. Centerline to Maximum Side	110
	(OOO) CHRISTII	ļ	View Mirror Protrusion	$-$ / $ \sim$
	inches X 2.54 =		Code to the	
•		-	nearest centimeter	
32.	Bottom of A-Pillar at Windshield	1201	(000) No side contact	
	Code to the	100	(300) 300 centimeters or more	
•	nearest centimeter	!	(999) Unknown	
	(000) No side contact	1		
	(250) 250 centimeters or more	1	inches X 2.54 =	centimeter
	(999) Unknown			centimeter
_	inches X 2.54 =	centimeters	Side Wrap Distance Measure	ments
		_ 00.10.10.00		
		, , ,	20 0 - 1 0	, , , –
33.	Top of A-Pillar at Windshield	160	38. Ground to Side/Top Transition	167
_	Code to the	/	Code to the	,
	nearest centimeter		nearest centimeter	
((000) No side contact		(000) No side contact	
((300) 300 centimeters or more		(400) 400 centimeters or more	
((999) Unknown	İ	(999) Unknown	
			• • • • • • • • • • • • • • • • • • • •	
_	inches X 2.54 =	centimeters	inches X 2.54 =	centimeters
		- I		
		1 4 -	20 Ground to Used Edge	1116
34.	Top of Side View Mirror	123	39. Ground to Hood Edge	114
_	Code to the		Code to the	,
	nearest centimeter		nearest centimeter	
(000) No side contact	•	(000) No side contact	
(300) 300 centimeters or more	İ	(500) 500 centimeters or more	
(999) Unknown		(999) Unknown	
_	· inches X 2.54 =	_ centimeters	inches X 2.54 =	_ centimeters

Γ				 	raye I
	(000) (700)	nd to Centerline of Hood Code to the nearest centimeter No side contact 700 centimeters or more Unknown	187		
	41. Groun (000) (800) (998)	inches X 2.54 = nd to Head Contact Code to the nearest centimeter No side contact 800 centimeters or more No head contact Unknown	centimeters 99		·
		inches X 2.54 =	centimeters		
				4	
				-	

1

PSU40 CASE 619P

1997 PEDESTRIAN ACCIDENT FORM

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)5. Time of Accident (military time)

1933

SPECIAL STUDIES - INDICATORS

6. SS15 0 7. SS16 1

8. 9517 0 9. **9518** 0 10. **9519** 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident 01

Οi

PSU40 CASE 619P

1997 PEDESTRIAN ACCIDENT FORM

PEDESTRIAN ACCIDENT EVENTS

Accident Sequence Number	Vehicle Number	Class of Vehicle	General Area of Damage	Veh. Num. or Obj. Cont.	Class of Vehicle	General Area of Damage
····· ···· ···· ···· ···· ···· ···· ····				**** **** **** **** **** **** ****	**** **** **** **** **** ****	
12. 01	13. 01	14. 13	15. R	16. 72	17. 00	18. 0

01

PEDESTRIAN'S CHARACTERISTICS 4. Pedestrian's Age 06 5. Pedestrian's Sex 1 6. Pedestrian's Overall Height 117 7. Pedestrian's Height - Ground to Knee 8. Pedestrian's Height - Ground to Hip 30 067 9. Pedestrian's Height - Ground to Shoulder 101 10. Pedestrian's Weight 022 PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 11. Pedestrian's Attitude 1 12. Pedestrian's Motion 13. Pedestrian's Actions Relative to Vehicle 98 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions 3

PEDESTRIAN'S AVOIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions	02
PEDESTRIAN'S ORIENTATION AT IMPACT	
16. Pedestrian's Head Orientation at Initial Impact	9
17. Pedestrian's Body (Chest) Orientation at Initial Impact	3
18. Pedestrian's Arm Orientation at Initial Impact	06
19. Pedestrian's Leg Orientation at Initial Impact	04
20. Vehicle/Pedestrian's Interaction	10
OFFICIAL RECORDS	
21. Police Reported Alcohol Presence For Pedestrian	7
22. Alcohol Test Result For Pedestrian	96
23. Police Reported Other Drug Presence For Pedestrian	
21 of the Reported Other Drug Fresence For Pedestrian	0
24. Other Drug Specimen Test Result For Pedestrian	\cap

INJURY CONSEQUENCES 25. Injury Severity (Police Rating) 26. Treatment - Mortality 27. Type of Medical Facility (for Initial Treatment) 28. Hospital Stay 29. Working Days Lost	3 3 2 01 97
(COMPLETED BY THE ZONE CENTER)	
30. Glasgow Coma Scale Score	02
31. Was the Pedestrian Given Blood?	1
32. Arterial Blood Gases	01
	00
34. 1st Medically Reported Cause of Death	00
35. 2nd Medically Reported Cause of Death	00
36. 3rd Medically Reported Cause of Death	00
37. Number of Recorded Injuries for This Pedestrian	09

01

PSU40 CASE 619P

1997 PEDESTRIAN INJURY FORM

VEHICLE 01 PEDESTRIAN 01

PEDESTRIAN INJURY DATA

	Source of Inj. Data	-	Type of Anat. Struc.	Spec. Anat. Struc.	Lev. of Inj.		Asp.	Inj. Source	Inj. Source Conf. Level	Dir./ Indir. Inj.		Type of Dmg.	Dmg. Dep.
Oi.	3	8	9	02	02	1	2	791	1	1	3	1	1
02.	3	8	5	34	22	3	2	791	1	1	3	1	1
ΟЗ.	3	8	5	16	05	2	2	791	1	1	3	1	1
04.	7	2	9	02	02	1	2	740	1	1	3	3	3
05.	7	2	9	06	00	1	2	740	1	1	3	3	3
06.	7	2	9	02	02	1	8	740	1	1	3	3	3
07.	7	2	9	06	00	1	8	740	1	1	3	3∕	3
08.	7	2	리	32	04	1	8	740	1	1	3	3	3
09.	3	2	5	14	02	1	8	740	1	1	3	3	. 3

1997 PEDESTRIAN GENERAL VEHICLE FORM

01

VEHICLE IDENTIFICATION	
4. Vehicle Model Year	94
5. Vehicle Make	09
6. Vehicle Model	442
7. Body Type	20
8. Vehicle Identification Number	1P4GH2434RX
OFFICIAL RECORDS	
9. Police Reported Travel Speed	999
10. Speed Limit	048
11. Police Reported Alcohol Presence For Driver	7
12. Alcohol Test Result For Driver	96
13. Police Reported Other Drug Presence	0
14. Other Drug Specimen Test Result for Driver	O

VEHICLE WEIGHT ITEMS	
15. Vehicle Curb Weight	1,620
16. Vehicle Cargo Weight	9,990
OTHER DATA	
17. Vehicle Special Use (This Trip)	O
RECONSTRUCTION DATA (COMPLETED BY THE ZONE CEN	ITER)
18. Impact Speed	+999
19. Accuracy Range of Impact Speed Estimate	9
20. Data Source of Impact Speed	0
PRECRASH DATA	
21. Driver's Attention to Driving	1

22. Pre-Event Vehicle Movement

PRECRASH DATA (continued) 23. Critical Precrash Event 80 24. Attempted Avoidance Maneuver 08 25. Precrash Stability After Avoidance Maneuver 3 26. Precrash Directional Consequences of Avoidance Manuver (Corrective Action) 3

0
1
2
1
1
2
1
0
O
1
1

1997 PEDESTRIAN EXTERIOR VEHICLE FORM

VEHICLE DIMENSIONS

4.	Original Wheelbase	303
5.	Original Average Track Width	155
6.	Hood Material	3
7.	Hood Original Equip. Manufacturer	1
8.	Hood Length	085
9.	Hood Width Forward Opening	142
10.	Hood Width Midway	143
11.	Hood Width Rear Opening	144
12.	Hood/Fender Vertical/Lateral	
	Crush From Pedestrian	1
13.	Windshield Contact Damage From	
	Pedestrian Contact	O.

FRONT CONTACT DAMAGE

FRONT VERTICAL MEASUREMENTS

14. Front Bumper Cover Material	0	15. Front Bumper Reinforcement Mat.	0
16. Front Bumper-Bottom Height	000	17. Front Bumper-Top Height	000
18. Forward Hood Opening	000	19. Front Bumper Lead	00
FRONT WRAP DISTANCE MEASUREMENTS			
20. Ground to Fwd. Hood Opening	000	21. Ground to Front/Top Transition Pt	000
22. Ground to Rear Hood Opening	000	23. Ground to Base of Windshield 🗸	000
24. Ground to Top of Windshield	000	25. Ground to Head Contact	000

SIDE CONTACT DAMAGE

SIDE VERTICAL MEASUREMENTS 26. Ground Clearance 024 27. Side Bumper-Bottom Height 051 28. Side Bumper-Top Height 058 29. Centerline of Wheel 030 30. Top of Tire 064 31. Top of Wheel Well Opening 32. Bottom of A-Pillar at Windshield 075 120 33. Top of A-Pillar at Windshield 160 34. Top of Side View Mirror 123

SIDE CONTACT DAMAGE (continued)

SIDE LATERAL MEASUREMENTS							
35. Centerline to A-Pillar at Bottom of Windshield	079						
36. Centerline to A-Pillar at Top of Windshield	068						
37. Centerline to Maximum Side View Mirror Protrusion	110						
SIDE WRAP DISTANCE MEASUREMENTS							

SID	E WRAP 1	DIS.	TANCE MEASUREMENTS	
38.	Ground	to	Side/Top Transition	107
39.	Ground	to	Hood Edge	114
40.	Ground	to	Centerline of Hood (Origin)	187
41.	Ground	to	Head Contact	999
0				

40619F00010012 7710.010000000000113R72000 10.0 0000000000611173006710102213983029306041079600332019702 40619P00010021 1010000000009 10.0 00000000038902021279111311 40619P00010131 10.0 00000000038534223279111311 40619P00010231 10.0 00000000038516052279111311 40619P00010331 10.0 00000000072902021274011333 40619P00010431 40619P00010531 10.0 00000000072906001274011333 10.0 00000000072902021874011333 40619P00010631 10.0 00000000072906001874011333 40619P00010731 10.0 00000000072432041874011333 40619P00010831 10.0 00000000032514021874011333 40619P00010931 10.0 000000009409442201P4GH2434RX 99904879600162999099 40619P01000041 99010180083301211210011 40619P01000051 0000000024051058030064075120160123079068110107114187999

40619P0000001 9710.00000000000119330100001

PSU40 CASE 619P

0000000000000

000000000000000 01

CURRENT VERSION: 10.0

ERROR SUMMARY SCREEN
PEDESTRIAN STUDY

/97	

9707259700000000

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	Ō	Ō	Ō	Ý
Pedestrian Injury	0	0	0	Υ
Pedestrian General Vehic	le O	0	0	Υ
Pedestrian Exterior Vehi	ole O	О	0	Υ
Total Inter Errors		0	0	
Total Case Errors	0	Q	0	